

Product Datasheet

Anti-SARS-CoV-2 Nucleocapsid (N) Protein (RABBIT) Antibody GRP13247

Description

SARS-CoV-2 (Severe acute respiratory syndrome coronavirus 2 or COVID-19) is related to SARS-CoV, MERS, and four milder coronaviruses (HKU1, NL63, OC43 and 229E). SARS-CoV-2 is an enveloped positive-strand RNA virus that consists of four structural proteins: spike (S) protein, envelope (E) protein, membrane (M) protein and nucleocapsid (N) protein. The spike protein is the most important surface protein of coronavirus. SARS-CoV-2 has a high affinity binding to human receptor ACE2 (angiotensin-converting enzyme 2) within respiratory epithelial. ACE2 is a membrane-bound aminopeptidase that has a vital role in the cardiovascular and immune systems. The nucleocapsid protein is a most abundant protein of coronavirus. The coronavirus nucleocapsid protein is the major structural component of virions that associates with genomic RNA to form a long, flexible, helical nucleocapsid. Anti-SARS-CoV-2 Nucleocapsid (N) Protein Antibody is useful for researchers interested in diagnostics and viral research.

Species/Host	Rabbit
Reactivity	Virus
Conjugation	Unconjugated
Tested Applications	ELISA, WB
Immunogen	Anti-SARS-CoV-2 Nucleocapsid (N) Protein Antibody was produced by repeated immunizations with purified recombinant SARS-CoV-2 Nucleocapsid protein with C-terminal His-tag, derived from the transfected human HEK293 cells.
Form/Appearance	Liquid (sterile filtered)
Concentration	1.0 mg/mL
Storage	Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.
Note	For research use only.
Clonality	Polyclonal
Purity	This affinity purified antibody is directed against SARS Coronavirus 2 Nucleocapsid (N) protein. The product was purified from monospecific antiserum by immunoaffinity chromatography over SARS CoV-2 resin. BLAST analysis was used to suggest reactivity with related Coronavirus proteins. Cross reactivity with homologues from other sources has not been determined.
Dilution Range	1:500,000-1:600,000
Application Notes	Anti-SARS-CoV-2 Nucleocapsid (N) Protein Antibody has been tested for use in Western Blot. Specific conditions for reactivity should be optimized by the end user. Expect a band approximately 47 kDa in size corresponding to SARS-CoV-2 Nucleocapsid (N) protein by western blotting in the appropriate cell lysate or extract.