


## Product Datasheet

### BOVINE IgG F(c) (RABBIT) Antibody GRP4129

<b>Description</b>	Anti-BOVINE IgG F(c) (RABBIT) Antibody
<b>Species/Host</b>	Rabbit
<b>Reactivity</b>	Bovine
<b>Conjugation</b>	Unconjugated
<b>Tested Applications</b>	ELISA, IHC-P, WB
<b>Form/Appearance</b>	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
<b>Concentration</b>	2.0 mg/mL
<b>Note</b>	For research use only.
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Source</b>	Anti-Bovine IgG F(c) was produced by repeated immunization with bovine IgG F(c) fragment in rabbit.
<b>Entrez</b>	<b>5743</b>
<b>Dilution Range</b>	ELISA: 1:20,000 - 1:100,000, Immunochemistry: 1:1,000 - 1:5,000, Western Blot: 1:2,000 - 1:10,000
<b>Application Notes</b>	Bovine IgG F(c) Antibody is suitable for immunoblotting (western or dot blot), ELISA, and immunohistochemistry requiring extremely low background levels, lot-to-lot consistency, high titer and specificity.



Rabbit anti-Bovine IgG Fc  
ELISA